

**100%** Money Back  
**Guarantee**

**Vendor:**IBM

**Exam Code:**000-610

**Exam Name:**DB2 10.1 Fundamentals

**Version:**Demo

**QUESTION 1**

What are two valid objects that can be created in DB2? (Choose two.)

- A. Tree
- B. Node
- C. Trigger
- D. Contexts
- E. Sequence

Correct Answer: CE

---

**QUESTION 2**

Which DB2 product is a database cluster solution for non-mainframe platforms and is best suited for Online Transaction Processing (OLTP) workloads?

- A. DB2 Connect
- B. DB2 pureScale
- C. Workload Manager
- D. High Availability Disaster Recovery

Correct Answer: B

---

**QUESTION 3**

Which statement is true about an index that is used to support a UNIQUE constraint?

- A. It must not contain more than one column.
- B. It cannot be used in a referential constraint.
- C. It must be defined with the UNIQUE attribute.
- D. It must be defined as UNIQUE WHERE NOT NULL.

Correct Answer: C

---

**QUESTION 4**

If a table named MY\_TAB contains 100 rows and the following statement is executed:

```
DELETE FROM  
(SELECT * FROM my_tab  
ORDER BY col1 DESC  
FETCH FIRST 5 ROWS ONLY) AS tmp;
```

What will happen?

- A. The last 5 rows in the table will be deleted.
- B. The first 5 rows in the table will be deleted.
- C. The statement will fail because a subquery cannot be used with a DELETE statement.
- D. The statement will fail because a table name was not specified with the DELETE statement.

Correct Answer: A

---

#### QUESTION 5

A table named EMPLOYEES was created as follows:

```
CREATE TABLE employees (  
  emp_no      VARCHAR(4) NOT NULL,  
  emp_name    VARCHAR(50) NOT NULL,  
  emp_email   VARCHAR(30) NOT NULL )
```

Then, the following INSERT statements were executed:

```
INSERT INTO employees VALUES ('1A2B', 'Joe Smith',  
  'joe.smith@abc.com');  
INSERT INTO employees VALUES ('1122', 'Lisa Carter', '');  
INSERT INTO employees VALUES ('1A2B', 'John Doe',  
  'john.doe@abc.com');
```

If the following query is executed:

```
SELECT count(*) FROM employees;
```

What will be the results?

- A. 0
- B. 1
- C. 2
- D. 3

Correct Answer: C

---

**QUESTION 6**

Which SQL statement would be used to retrieve only salaries that are greater than \$100,000.00 from a table named EMPLOYEE?

- A. SELECT \* FROM employee WHERE salary
- B. SELECT salary FROM employee WHERE salary > 100000
- C. SELECT salary FROM employee WHERE salary > 100,000.00
- D. SELECT \* FROM employee WHERE salary GREATER THAN 100000

Correct Answer: B

---

**QUESTION 7**

By default, a column defined as a TIMESTAMP includes which attributes?

- A. No fractional digits or time zone.
- B. 6 fractional digits and no time zone.
- C. 12 fractional digits plus a time zone.
- D. 12 fractional digits and no time zone.

Correct Answer: B

---

**QUESTION 8**

Which method for restricting data access relies on a SQL search condition that describes what set of rows a user has access to?

- A. Authentication
- B. Authorities and privileges
- C. Label-based access control
- D. Row and column access control

Correct Answer: D

---

**QUESTION 9**

What is the minimum product required for DB2 connectivity across all platforms?

- A. DB2 Personal Edition
- B. DB2 Development Edition
- C. DB2 Connect Personal Edition
- D. DB2 Development Unlimited Edition

Correct Answer: C

---

**QUESTION 10**

What takes place when a process accesses a data object on which it already holds a lock, and the access mode requires a more restrictive lock than the one currently held?

- A. Lock wait
- B. Lock timeout
- C. Lock escalation
- D. Lock conversion

Correct Answer: D

---

**QUESTION 11**

What factor influences lock escalation?

- A. Table size
- B. Buffer space
- C. Number of locks
- D. Available real storage

Correct Answer: C

---

**QUESTION 12**

What needs to be defined in order to track changes made to a system-period temporal table over time?

- A. Once the row-begin, row-end, and transaction-start-id columns are created, all changes are tracked.
- B. A history table must be created with identical columns to the base table and a unique index must be defined on the transaction-start-id column.

C. A history table must be created as a clone table of the base table after the row- begin, row-end, and transaction-start-id columns have beendefined.

D. A history table must be created with identical columns to the base table and then the base table altered with the ADD VERSIONING clause to relate it to the history table.

Correct Answer: D

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

**100%** Guaranteed Success

**100%** Money Back Guarantee

**365** Days Free Update

**Instant Download** After Purchase

**24x7** Customer Support

Average **99.9%** Success Rate

More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.